



# UNITED STATES PATENT AND TRADEMARK OFFICE

A

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/865,300	05/24/2001	Mohamed Ben-Romdhane	259/008	5178

7590 08/11/2005

TROY M. SCHMELZER  
HOGAN & HARTSON L. L. P.  
500 SOUTH GRAND AVENUE, SUITE 1900  
LOS ANGELES, CA 90071

EXAMINER
----------

INGBERG, TODD D

ART UNIT	PAPER NUMBER
----------	--------------

2193

DATE MAILED: 08/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/865,300

Applicant(s)

BEN-ROMDHANE ET AL.

Examiner

Todd Ingberg

Art Unit

2193

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 10 May 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**


- 4) ☒ Claim(s) 1-109 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-109 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 5/24/2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

  
**TODD INGBERG**  
**PRIMARY EXAMINER**

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_

- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### **Claim Status**

Claims 1 – 109 have been examined.

Claims 1, 6, 10, 18, 26, 33, 49, 51, 53, 68, 77, 90, 92, 94 and 108 have been amended.

### ***Specification***

1. The new title of the invention has been entered.

### ***Claim Rejections - 35 USC § 101***

2. Prior rejection to claims 1 – 89 and 108 – 109 under 35 U.S.C. § 101 has been overcome by amendment.

### ***Knowledge of the Ordinary Artisan in the Art***

3. One of Ordinary skill in the art prior to the time of invention should be familiar with the concepts of Object Technology. Furthermore, the implementation of object technology in a programming language such as C++ would also be known to one of very ordinary skill. The Examiner has made of record the text book, “The Object Primer The Application Developer’s Guide to Object Orientation”, by Scott Amber from 1995. This text book covers inherent concepts and principles of object technology.

### ***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2193

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 6 – 9 and 18 - 25 rejected under 35 U.S.C. 102(b) as being anticipated by Rational Rose version 4.0 released November 1996.

The Rational Rose documentation kit contains several manuals. Some of the manuals include the following:

Rational Rose Version 4.0 from Rational Software Corporation

Using Rational Rose 4.0 (RAT-UR)

Round-Trip Engineering with Rational Rose/C++ (RAT-C++)

UML Booch & OMT Quick Reference for Rational Rose 4.0 (RAT-QR)

Extensibility Guide (RAT-EX)

A Rational Approach to Software Development Using Rational Rose (RAT-AP)

Extensibility Reference Manual (NOT-USED)

#### **Claim 6**

Rational Rose version 4.0 teaches a system executing on a computer and stored on a computer readable medium for creating an information model representing an inherent software architecture derived from a body of source code, comprising: an information model generator having a parser and a composer, the parser configured to extract program fragments from a body of source code and create a plurality of language dependent format objects, the composer configured to convert language dependent format objects into language independent format objects, wherein each language independent format object represents a discrete component in an information model.

**Examiner's Response**

Rational Rose version 4.0 supports reverse engineering (RAT-C++, Chapter 3) where a body of source code (RAT-C++, pages 181 – 183 and 227 ) is used as input and parsed with a parser (RAT-C++, parsing, page 184) and the model is exported (RAT-C++, pages 185 – 186). The code is converted into a model (Composer) (RAT-C++, page 185, second paragraph – generated model file and component package (informational model)). Software architecture is inherent in object modeling and the components are structurally related.

**Claim 7**

The system of claim 6 wherein the composer is further configured to create a derivative language independent format object, the derivative language independent format object comprising two or more language independent format objects and representing a discrete component in the information model. Component diagram as per claim 3.

**Claim 8**

The system of claim 6 wherein the composer is further configured to analyze a file system structure of the body of source code and create a derivative view object, the derivative view object relating two or more language independent format objects into a discrete component in the information model based on the file system structure of the body of source code.

Rational Rose version 4.0 supports reverse engineering (RAT-C++, Chapter 3) where a body of source code (RAT-C++, pages 181 – 183 and 227) is used as input and parsed with a parser (RAT-C++, parsing, page 184) and the model is exported (RAT-C++, pages 185 – 186). The

Art Unit: 2193

code is converted into a model (Composer) (RAT-C++, page 185, second paragraph – generated model file and component package (informational model – independent format with discrete component)). Software architecture is inherent in object modeling and the components are structurally related.

**Claim 9**

The system of claim 6 wherein the composer is further configured to analyze a configuration file and create a derivative view object, the derivative view object relating two or more language independent, format objects into a discrete component based on the configuration file. As per claim 8.

**Claim 18**

Rational Rose version 4.0 teaches a method executing on a computer and stored on a computer readable medium for creating an information model representing an inherent software architecture derived from a body of source code, comprising: parsing a body of source code to extract data dependencies, functional dependencies, and control flow indicators; creating a plurality of language dependent format objects, each language dependent format object comprising an abstract syntax tree representing related program fragments within the body of source code; and converting each language dependent format object into a language independent format object, wherein each language independent format object represents a discrete component in an information model.

**Examiner's Response**

Rational Rose version 4.0 supports reverse engineering (RAT-C++, Chapter 3) where a body of source code (RAT-C++, pages 181 - 183) is used as input and parsed with a parser (RAT-C++, parsing, page 184 – parsing inherently creates ASTs see 1956 article from Noam Chomsky) and the model is exported (RAT-C++, pages 185 – 186). The code is converted into a model (Composer) (RAT-C++, page 185, second paragraph – generated model file and component package (informational model – independent format with discrete component)). Components are representative of objects modeling which contain data dependencies, functional dependencies and control flow indicators (RAT-UR, diagrams Chapters 2 – 8, Class, Use Case, Interactions, Collaboration, Component and state). Software architecture is inherent in object modeling and the components are structurally related.

**Claim 19**

The method of claim 18, wherein the related program fragments are related by data dependencies, functional dependencies, and control flow indicators. As per claim 11.

**Claim 20**

The method of claim 19, wherein the data dependencies comprise variables passed through function calls and shared global variables. As per claim 12.

**Claim 21**

The method of claim 19, wherein the functional dependencies comprise incoming function calls and outgoing function calls. As per claim 12.

**Claim 22**

The method of claim 18, further comprising the step of creating one or more derivative language independent format objects, wherein a derivative language independent format object comprises two or more language independent format objects. As per claim 7.

**Claim 23**

The method of claim 18, further comprising the step of: creating one or more derivative view objects, wherein a derivative view object relates two or more language independent format objects into a discrete component in the information model. As per claim 3.

**Claim 24**

The method of claim 23, wherein the two or more language independent format objects are related based on the file system structure of the body of source code. As per claim 1 - Inherent in object modeling classes contain source code by definition a class contains attributes and the methods (source code) to perform operations on the attributes. RAT-C++, Chapter 3, Reverse Engineering,

Art Unit: 2193

**Claim 25**

The method of claim 23, wherein the two or more language independent format objects are related based on a configuration file. (RAT-C++, Chapter 2, page 8)

***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1, 3 – 5, 10 – 17, 26 - 109 rejected under 35 U.S.C. 103(a) as being unpatentable over Rational Rose version 4.0 released November 1996 in view of Scandura USPN #6,061,513 filed August 18, 1997 published May 9, 2000.

**Claim 1**

An information model executing on a computer and stored on a computer readable medium representing a. software architecture, comprising: a plurality of language independent format objects generated from a plurality of analyzed language dependent format objects, each language independent format object representing a discrete component, wherein the components are structurally related into an information model according to a software architecture.

**Examiner's Response**

Rational Rose teaches the ability to perform Object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The object

Art Unit: 2193

model is language independent and is used to generate code (RAT-C++, Chapter 2 page 28 model to code correspondence) and Components (RAT-UR, Chapter 3, page 16 see Windows. Structurally related in an object model (RAT-UR, page 40, Diagram toolbar related through aggregation, Association, Link Attribute, Dependency etc...). Software architecture is inherent in object modeling and the limitation is met by the relationship of the modeling of objects with classes and component modeling and the generation of code from the models as indicated above. One of ordinary skill in the art should understand the relationship between the mode at design time and how the model at compile, link and execution reflect the information model. What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

### **Claim 3**

The information model of claim 1, further comprising: one or more derivative language independent format objects, wherein a derivative language independent format object represents

Art Unit: 2193

two or more combined language independent format objects; and a hierarchical structure relating the plurality of language independent format objects and the derivative language independent format objects into a software architecture.

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications. Class diagrams in object modeling are inherently hierarchical (RAT-UR, Chapter 4, Class modeling). (Components RAT-UR, pages 15 – 16, RAT-UR, Chapter 7)

#### **Claim 4**

The information model of claim 1, further comprising: one or more derivative view objects, wherein a derivative view object contains a structural relationship between two or more language independent format objects such that the one or more derivative view objects, in combination with the language independent format objects reflect a software architecture.

In view of claim 1 the principle of inheritance (RAT-UR, page 40, Diagram toolbar related through aggregation, Association, Link Attribute, Dependency etc...).

#### **Claim 5**

The information model of claim 1, wherein the software architecture is derived from a body of source code. (RAT-C++, pages 181 – 183 and 227)

**Claim 10**

Rational Rose version 4.0 teaches A method executing on a computer and stored on a computer readable medium for creating an information model representing an inherent software architecture derived from a body of source code, comprising: extracting program fragments from the body of source code;

analyzing the program fragments and creating language dependent format objects, and analyzing the language dependent format objects and creating a plurality of language

independent format objects, wherein each language independent format object contains related program fragments from the body of source code and represents a discrete component in an information model.

**Examiner's Response**

Rational Rose version 4.0 supports reverse engineering (RAT-C++, Chapter 3) where a body of source code (RAT-C++, pages 181 – 183 and 227) is used as input and parsed with a parser (RAT-C++, parsing, page 184) and the model is exported (RAT-C++, pages 185 – 186). The code is converted into a model (Composer) (RAT-C++, page 185, second paragraph – generated model file and component package (informational model – independent format with discrete component)). Software architecture is inherent in object modeling and the components are structurally related. What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been

Art Unit: 2193

obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 11**

The method of claim 10, wherein the related program fragments are related by data dependencies, functional dependencies, and control flow indicators. (RAT-UR, diagrams Chapters 2 – 8, Class, Use Case, Interactions, Collaboration, Component and state and RAT-C++, Chapter 3, Reverse Engineering).

**Claim 12**

The method of claim 11, wherein the data dependencies comprise variables passed through function calls (Messaging is an inherent principle of object technology – RAT-UR, page 112 - 119) and shared global variables (RAT-UR, page 113).

**Claim 13**

The method of claim 11, wherein the functional dependencies comprise incoming function calls and outgoing function calls. As per claim 12.

**Claim 14**

The method of claim 10, further comprising the step of: creating one or more derivative language independent format objects, wherein a derivative language independent format object comprises two or more language independent format objects. As per claim 3.

**Claim 15**

The method of claim 10, further comprising the step of creating one or more derivative view objects, wherein a derivative view object relates two or more language independent format objects into a discrete component in the information model. As per claim 7.

**Claim 16**

The method of claim 15, wherein the two or more language independent format objects are related based on the file system structure of the body of source code.

Rational Rose version 4.0 supports reverse engineering (RAT-C++, Chapter 3) where a body of source code (RAT-C++, pages 181 – 183 and 227) is used as input and parsed with a parser (RAT-C++, parsing, page 184) and the model is exported (RAT-C++, pages 185 – 186). The code is converted into a model (Composer) (RAT-C++, page 185, second paragraph – generated model file and component package (informational model – independent format with discrete component). Software architecture is inherent in object modeling and the components are structurally related.

Art Unit: 2193

**Claim 17**

The method of claim 15, wherein the two or more language independent format objects are related based on a configuration file. As per claim 16.

**Claim 26**

Rational Rose version 4.0 teaches a method executing on a computer and stored on a computer readable medium for creating an information model representing a software architecture, comprising:

creating a plurality of language independent format objects from a plurality of language dependent format objects wherein the language dependent format are derived from a body of source code related to the software architecture, wherein each language independent format object represents a discrete component in an information model.

**Examiner's Response**

Rational Rose provides the ability to perform Object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The object model is language independent and is used to generate code (RAT-C++, Chapter 2 page 28 model to code correspondence) and Components (RAT-UR, Chapter 3, page 16 see Windows. Structurally related in an object model (RAT-UR, page 40, Diagram toolbar related through aggregation, Association, Link Attribute, Dependency etc...). Software architecture is inherent in object modeling and the limitation is met by the relationship of the modeling of objects with classes and component modeling and the generation of code from the models as indicated above.

Art Unit: 2193

What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

#### **Claim 27**

The method of claim 26, further comprising: arranging the plurality of language independent format objects into a hierarchical structure representing a software architecture.

The object model (inherently hierarchical) is language independent and is used to generate code (RAT-C++, Chapter 2 page 28 model to code correspondence) and Components (RAT-UR, Chapter 3, page 16 see Windows. Structurally related in an object model (RAT-UR, page 40, Diagram toolbar related through aggregation, Association, Link Attribute, Dependency etc...). Software architecture is inherent in object modeling and the limitation is met by the relationship of the modeling of objects with classes and component modeling and the generation of code from the models

Art Unit: 2193

**Claim 28**

The method of claim 27, wherein the plurality of language independent format objects are arranged according to data dependencies, functional dependencies, and control flow indicators.

As per claim 11.

**Claim 29**

The method of claim 28, wherein the data dependencies comprise variables passed through function calls and shared global variables. As per claim 12.

**Claim 30**

The method of claim 2,3, wherein the functional dependencies comprise incoming function calls and outgoing function calls. As per claim 12.

**Claim 31**

The method of claim 26, further comprising the step of: creating one or more derivative language independent format objects, wherein a derivative language independent format object comprises two or more language independent format objects. As per claims 1 and 3.

**Claim 32**

The method of claim 26. further comprising the step of creating one or more derivative view objects, wherein a derivative view object relates two or more language independent format objects into a discrete component in the information model. As per claims 1 and 3.

**Claim 33**

Rational Rose version 4.0 teaches a system executing on a computer and stored on a computer readable medium for manipulating an information model representing a software architecture, comprising:

an information model viewer configured to provide a visual presentation of the information model representing the software architecture, wherein the information model includes a plurality of language independent format objects generated from a plurality of analyzed language dependent format objects, wherein each language independent format object represents a discrete component, and wherein the components are structurally related into an information model according to the software architecture; and a system architect configured to modify the software architecture.

**Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications.

The object model is language independent and is used to generate code (RAT-C++, Chapter 2 page 28 model to code correspondence) and Components (RAT-UR, Chapter 3, page 16 see Windows. Structurally related in an object model (RAT-UR, page 40, Diagram toolbar related through aggregation, Association, Link Attribute, Dependency etc...). The views Rational Rose provides are documented (RAT-UR, Chapter 3, pages 11 – 16 and Chapters 6, 7 and 8). Software

Art Unit: 2193

architecture is inherent in object modeling and the limitation is met by the relationship of the modeling of objects with classes and component modeling and the generation of code from the models as indicated above. What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 34**

The system of claim 33, wherein the information model viewer further comprises: a data dependency viewer configured to present the data dependencies between components of the information model; a functional dependency viewer configured to present the functional dependencies between components of the information model; and a calling tree viewer configured to present the control flow between program fragments contained within a component of the information model. Diagrams of claim 11.

Art Unit: 2193

**Claim 35**

The system of claim 34, :further comprising: a search results viewer configured to present the results of searches conducted within one or more information models or within one or more components of one or more information models. (RAT-UR, page 19, Browse different models).

**Claim 36**

The system of claim 33, further comprising: a language specific viewer configured to provide a visual presentation of the information model representing the software architecture according to one or more programming language paradigms. (RAT-UR, page 19, Browse different models and RAT-UR, page 200, UML, Basic or C++).

**Claim 37**

The system of claim 33;, wherein the system architect further comprises: an architect designer configured to reorganize the hierarchical component structure of the information model. (RAT-C++, page 59).

**Claim 38**

The system of claim 37, wherein the architect designer is further configured to merge two or more components together into a single component. RAT-UR, pages 121 - 122, inheritance provide with Dependency.

Art Unit: 2193

**Claim 39**

The system of claim 38, wherein the architect designer is further configured to fragment a merged component into two or more components. RAT-UR, pages 121 - 122, inheritance provide with Dependency (multiple).

**Claim 40**

The system of claim 37, wherein the system architect further comprises: an architect enhancer configured to add new components to the information model. RAT-UR, pages 121 – 122.

**Claim 41**

The system of claim 40, wherein the system architect further comprises: an architect creator configured to create new components and relate the newly created components into a new information model having no underlying body of source code. RAT-UR, page 122, Task Specification, Subprogram Specification, Package Specification.

**Claim 42**

The system of claim 41, wherein the system architect further comprises: an architect optimizer configured to extract functionally related components of an information model and create a new information model having a reduced set of components serving a desired function. RAT-C++, pages 59 - 61, Remove Selected, Remove All, and RAT-C++, pages 63 – 65, code regeneration.

**Claim 43**

The system of claim 33, further comprising: an information model editor having a text interface and a file interface, the text interface configured to allow editing of documentation associated with the information model and the file interface configured to receive new or modified documentation files associated with the information model. RAT-C++, pages 78 – 82.

**Claim 44**

The system of claim 33, further comprising: an information model builder having a text interface and a file interface, the text interface configured to allow editing of source code files included with the body of source code and the file interface configured to receive new or modified source code files for inclusion with the body of source code. RAT-C++, pages 180 – 183,

**Claim 45**

The system of claim 44, wherein the file interface is further configured to provide source code files from the body of source code. RAT-C++, pages 180 – 183,

**Claim 46**

The system of claim 33, further comprising: an information model search engine configured to accept a query, search the information model, and provide search results. RAT-UR, Chapter 12, pages 185 – 189.

Art Unit: 2193

**Claim 47**

The system of claim 33, further comprising: an information model document generator configured to compile a plurality of documentation objects into an information model document. RAT-C++, Reverse Engineering, Chapter 3,

**Claim 48**

The system of claim 33, further comprising: an information model difference generator configured to compare at least two information models and determine the differences between the at least two information models. RAT-C++, Chapter 4, Model Differencing

**Claim 49**

Rational Rose version 4.0 teaches a method executing on a computer and stored on a computer readable medium for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, comprising:

creating language independent format objects from language dependent format objects, wherein the language dependent .format are derived from a body of source code related to the software architecture, and wherein each language independent format object represents a discrete component in an information model; and merging two or more components into a compound component.

**Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability

Art Unit: 2193

to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications. Class diagrams in object modeling are inherently hierarchical (RAT-UR, Chapter 4, Class modeling). The limitation of merging two or more components into a compound component (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation). What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8,“... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for “... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

#### **Claim 50**

The method of claim 49, further comprising: modifying the hierarchical structure between two or more components; RAT-C++, page 113.

**Claim 51**

Rational Rose version 4.0 teaches a method executing on a computer and stored on a computer readable medium for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, comprising:

creating language independent format objects from language dependent format objects, wherein the language dependent format are derived from a body of source code related to the software architecture, and wherein each language independent format object represents a discrete component in an information model; and fragmenting a compound component into its constituent components.

**Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications. Class diagrams in object modeling are inherently hierarchical (RAT-UR, Chapter 4, Class modeling). The limitation of fragmenting a compound component into its constituent components (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation where the class is a Abstract class or mixin (Booch term from MIT) this is considered intended use of Rational Rose and knowledge within one of ordinary skill in the art). What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura

Art Unit: 2193

who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

#### **Claim 52**

The method of claim 51, further comprising: modifying the hierarchical structure between two or more components. RAT-C++, page 59.

#### **Claim 53**

Rational Rose version 4.0 teaches a method executing on a computer and stored on a computer readable medium for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, comprising: creating language independent format objects from language dependent format objects, wherein the language dependent format are derived from a body of source code related to the software architecture, and wherein each language independent format object represents a discrete component in an information model; modifying the hierarchical structure between two or more components in an information model; merging two or more components into a compound component; and fragmenting a compound component into its constituent components comparing a first information model to a second information model; and generating a difference set

containing the differences between the first information model and the second information model identified by the comparison.

### **Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications. Class diagrams in object modeling are inherently hierarchical (RAT-UR, Chapter 4, Class modeling). The limitation of merging two or more components into a compound component (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation) and the limitation of fragmenting a compound component into its constituent components (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation where the class is a Abstract class or mixin (Booch term from MIT) this is considered intended use of Rational Rose and knowledge within one of ordinary skill in the art). What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8,“... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another

programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 54**

The method of claim 53, wherein the modifying step further comprises: selecting a first component; and promoting the first component relation to a second component. RAT-UR, Chapter 7, pages 122 - 123.

**Claim 55**

The method of claim 53, wherein the modifying step further comprises: selecting a first component; and demoting the first component in relation to a second component. RAT-UR, Chapter 7, pages 122 - 123.

**Claim 56**

The method of claim 53, wherein the merging step further comprises merging a component and a first compound component into a second compound component. RAT-UR, Chapter 7, pages 122, dependency.

**Claim 57**

The method of claim 53, wherein the merging step further comprises merging a first compound component and a second compound component into a third compound component. RAT-UR, Chapter 7, pages 122, dependency – intended use of the product - inheritance.

**Claim 58**

The method of claim 53, wherein the fragmenting step further comprises fragmenting a compound component into two or more components. RAT-UR, Chapter 7, pages 122, dependency – intended use of the product – inheritance – mixin as per claim 51.

**Claim 59**

The method of claim 53, wherein the fragmenting step further comprises fragmenting a compound component into a component and a compound component. RAT-UR, Chapter 7, pages 122, dependency – intended use of the product – inheritance.

**Claim 60**

The method of claim 53, wherein the fragmenting step further comprises fragmenting a compound component into a first compound component and a second compound component. As per claim 59.

**Claim 61**

The method of claim 53, further comprising editing documentation associated with the information model through a documentation text editor. A plurality of documentation files can be interpreted as both documentation such as RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2).

Art Unit: 2193

**Claim 62**

The method of claim 53, further comprising uploading new or modified documentation files through a file interface. A plurality of documentation files can be interpreted as both documentation such as RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2).

**Claim 63**

The method of claim 53, further comprising compiling documentation associated with the information model into. an information model document. A plurality of documentation files can be interpreted as both documentation such as RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2.

**Claim 64**

The method of claim 53, further comprising: creating a new component in the information model; and organizing the new component within the hierarchical structure of the information model. RAT-C++, page 113

**Claim 65**

The method of claim 53, further comprising searching the information model in response to a query and providing search results. (RAT-UR, page 19, Browse different models).

Art Unit: 2193

**Claim 66**

The method of claim 53, further comprising: comparing a first information model to a second information model; and generating a difference set containing the differences between the first information model and the second information model identified by the comparison. RAT-C++, Chapter 4, Model Differencing.

**Claim 67**

The method of claim 66, wherein the difference set comprises a new information model. RAT-C++, page 207.

**Claim 68**

Rational Rose version 4.0 teaches a method executing on a computer and stored on a computer readable medium for manipulating an information model derived from a body of source code, comprising: establishing a connection with a server computer; requesting an information model from the server, wherein the information model is comprises a plurality of language independent format objects generated from a plurality of analyzed language dependent format objects derived from a particular body of source code, wherein each language independent format object represents a discrete component; and receiving a visual presentation of the requested information model comprising a plurality of hierarchically arranged components and a plurality of documentation files.

**Examiner's Response**

Rational Rose version 4.0 supports reverse engineering (RAT-C++, Chapter 3) where a body of source code (RAT-C++, pages 181 – 183 and page 227) is used as input and parsed with a parser (RAT-C++, parsing, page 184) and the model is exported (RAT-C++, pages 185 – 186). The code is converted into a model (Composer) (RAT-C++, page 185, second paragraph – generated model file and component package (informational model)). Software architecture is inherent in object modeling and the components are structurally related. RAT-UR, Chapter 13, Documentation Report. The limitation of a server with a connection is met by the support for Rose Configuration Management (CM) RAT-UR, Chapter 10. The documentation does not explicitly state the word server however on RAT-UR, page 157 the ability to establish the virtual path to the configuration management machine is shown and the well known functions of CheckOut, CheckIn and AcceptChanges are on RAT-UR, page 157. RAT-UR, page 174 mentions PVCS is supplied with the product. The ability to receive a visual presentation of the requested information model (RAT-UR, Chapter 3, page 16), class diagrams are inherently hierarchically arranged components (RAT-UR, page 16, Component window). A plurality of documentation files can be interpreted as both documentation such as RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2). What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It

Art Unit: 2193

would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 69**

The method of claim 68, wherein the plurality of components comprises: a plurality of single components; a plurality of compound components, wherein a compound component comprises two or more single components; and a plurality of data dependencies, functional dependencies, and control indicators, wherein data dependencies, functional dependencies, and control indicators relate the single components and compound components. As per claims 1 and 3.

**Claim 70**

The method of claim 69, wherein a compound component comprises one or more single components and one or more compound components. As per claims 1 and 3.

**Claim 71**

The method of claim 69, wherein a compound component comprises two or more compound components. As per claims 1 and 3.

Art Unit: 2193

**Claim 72**

The method of claim 68, further comprising: viewing a compound component and a sub-component of the compound component; selecting the sub-component; and viewing the data dependencies, functional dependencies, and control indicators of the sub-component. RAT-UR, Chapter 7, page 122.

**Claim 73**

The method of claim 68, further comprising: viewing a documentation file; and editing the documentation file. RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2.

**Claim 74**

The method of claim 68, further comprising: rearranging the hierarchical structure of the components. RAT-C++, page 113.

**Claim 75**

The method of claim 68, further comprising: submitting a search request for a particular component; receiving a search response, wherein the search response presents the requested component according to its relative position in the hierarchical structure. RAT-C++, page 113.

**Claim 76**

The method of claim 75, wherein the search response further presents each higher level component disposed between the requested component and a highest level component.

(RAT-UR, page 19, Browse different models).

**Claim 77**

Rational Rose version 4.0 teaches a system executing on a computer and stored on a computer readable medium for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, comprising: means for providing a visual presentation of the information model representing the software architecture, wherein the information model comprises a plurality of language independent format objects generated from a plurality of analyzed language dependent format objects, and wherein each language independent format object represents a discrete component; and means for modifying the software architecture.

**Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications.

The object model is language independent and is used to generate code (RAT-C++, Chapter 2 page 28 model to code correspondence) and Components (RAT-UR, Chapter 3, page 16 see Windows. Structurally related in an object model (RAT-UR, page 40, Diagram toolbar related through aggregation, Association, Link Attribute, Dependency etc...). The views Rational Rose provides are documented (RAT-UR, Chapter 3, pages 11 – 16 and Chapters 6, 7 and 8). Software architecture is inherent in object modeling and the limitation is met by the relationship of the

modeling of objects with classes and component modeling and the generation of code from the models as indicated above. What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 78**

The system of claim 77, wherein the information model viewer further comprises: means for presenting the data dependencies between components of the information model; means for presenting the functional dependencies between components of the information model; rind means for presenting the control flow between program fragments contained within a component of the information model. As per claim 77.

**Claim 79**

The system of claim 78, further comprising: means for presenting a result of a search conducted within one or more information models or within one or more components of one or more

information models. (RAT-UR, page 19, Browse different models).

**Claim 80**

The system of claim 79, further comprising: means for presenting the information model as if the underlying body of source code was in a particular programming language. RAT-C++, Chapter 3, Reverse Engineering.

**Claim 81**

The system of claim 77, wherein the system architect further comprises: means for reorganizing the hierarchical component structure of the information model; means for merging two or more components together into a compound component; means for fragmenting a compound component into two or more components; and means for adding new components to the information model. As per claims 1 and 3.

**Claim 82**

The system of claim 81, wherein the system architect further comprises: means for creating new components; and means for relating the newly created components into a new information model having no underlying body of source code. RAT-UR, page 122, Task Specification, Subprogram Specification, Package Specification.

Art Unit: 2193

**Claim 83**

The system of claim 81, wherein the system architect further comprises: means for extracting functionally related components of an information model; and means for creating a new information model having a reduced set of components serving a desired function. RAT-C++, pages 185 – 187.

**Claim 84**

The system of claim 77, further comprising: means for editing documentation associated with the information model; and means for receiving new or modified documentation files associated with the information model. As per claim 83.

**Claim 85**

The system of claim 77, further comprising: means for editing source code files included with the body of source code; and means for receiving new or modified source code files for inclusion with the body of source code. As per claim 83.

**Claim 86**

The system of claim 85, wherein the means for receiving new or modified source code files further comprises: means to provide source code files from the body of source code. RAT-C++, Chapter 3, Reverse Engineering in view of claim 83.

Art Unit: 2193

**Claim 87**

The system of claim 77 , further comprising: means for accepting a query; means for searching the information model; and means for providing results. (RAT-UR, page 19, Browse different models).

**Claim 88**

The system of claim 77, further comprising: means for compiling a plurality of documentation objects into an information model document. A plurality of documentation files can be interpreted as both documentation such as RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2.

**Claim 89**

The system of claim 77, further comprising: means for comparing at least two information models; and means for determining the differences between the at least two information models. A plurality of documentation files can be interpreted as both documentation such as RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2.

**Claim 90**

Rational Rose version 4.0 teaches a computer readable medium having stored thereon one or more sequences of instructions for causing one or more microprocessors to perform the steps for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, the steps comprising:

creating language independent format objects from language dependent format objects

wherein the language dependent format are derived from a body of source code related to the

software architecture, and wherein each language independent format object represents a discrete component in an information model; and

merging two or more components into a compound component.

### **Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications.

The object model is language independent and is used to generate code (RAT-C++, Chapter 2 page 28 model to code correspondence) and Components (RAT-UR, Chapter 3, page 16 see Windows. Structurally related in an object model (RAT-UR, page 40, Diagram toolbar related through aggregation, Association, Link Attribute, Dependency etc...). The views Rational Rose provides are documented (RAT-UR, Chapter 3, pages 11 – 16 and Chapters 6, 7 and 8). Software architecture is inherent in object modeling and the limitation is met by the relationship of the modeling of objects with classes and component modeling and the generation of code from the models as indicated above. Emphasis on RAT-UR, pages 12 – 15, where the class diagram (inherently hierarchical) is used to formulate components which are show in the component diagram window through the use of inheritance (The limitation of merging two or more components into a compound component (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation – look over has-a and part-of relationships), this is considered intended use of Rational Rose and knowledge within one of ordinary skill in the art). What Rational Rose does not explicitly teach is the underlying use of an

Art Unit: 2193

intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 91**

The computer readable medium of claim 90 further comprising the step of: modifying the hierarchical structure between two or more components in an information model. RAT-C++, page 113.

**Claim 92**

Rational Rose version 4.0 teaches a computer readable medium having stored thereon one or more sequences of instructions for causing one or more microprocessors to perform the steps for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, the steps comprising:

creating language independent format objects from language dependent format objects wherein the language dependent format are derived from a body of source code related to the

software architecture, and wherein each language independent format object represents a discrete component in an information model: and fragmenting a compound component into its constituent components.

### **Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications. Class diagrams in object modeling are inherently hierarchical (RAT-UR, Chapter 4, Class modeling). The limitation of fragmenting a compound component into its constituent components (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation where the class is a Abstract class or mixin (Booch term from MIT) this is considered intended use of Rational Rose and knowledge within one of ordinary skill in the art). What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8,“... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another

programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 93**

The computer readable medium of claim 92 further comprising the step of: modifying the hierarchical structure between two or more components in an information model. RAT-C++, page 113.

**Claim 94**

Rational Rose version 4.0 teaches a computer readable medium having stored thereon one or more sequences of instructions for causing one or more microprocessors to perform the steps for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, the steps comprising:

creating language independent format objects from language dependent format objects, wherein the language dependent format are derived from a body of source code related to the software architecture, and wherein each language independent format object represents a discrete component in an information model: modifying the hierarchical structure between two or more components in an information model; merging two or more components into a compound component; and fragmenting a compound component into its constituent components.

**Examiner's Response**

Rational Rose provides the ability to perform object modeling (information model) by diagramming object with a class diagram (RAT-UR, Chapter 4 – page 39 see figure). The ability to manipulate the object model (information model) is in Chapters 4 – 6 with specific mention of toolbars on pages 21 – 32 of Chapter 3 the Introduction to Diagrams and Specifications. Class diagrams in object modeling are inherently hierarchical (RAT-UR, Chapter 4, Class modeling). The limitation of merging two or more components into a compound component (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation) and the limitation of fragmenting a compound component into its constituent components (is the inherent principle of Inheritance in object technology) (RAT-UR, page 40, Association and Aggregation where the class is a Abstract class or mixin (Booch term from MIT) this is considered intended use of Rational Rose and knowledge within one of ordinary skill in the art). What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 95**

The computer readable medium of claim 94, wherein the modifying step further comprises:  
selecting a first component; and promoting the first component in relation to a second  
component. As per claim 54.

**Claim 96**

The computer readable medium of claim 94, wherein the modifying step further comprises:  
selecting a first component; and demoting the first component in relation to a second component.  
As per claim 55.

**Claim 97**

The computer readable medium of claim 94, wherein the merging step further comprises  
merging a component and a first compound component into a second compound component. As  
per claim 56.

**Claim 98**

The computer readable medium of claim 94, wherein the merging step further comprises  
merging a first compound component and a second compound component into a third compound  
component. As per claim 57.

Art Unit: 2193

**Claim 99**

The computer readable ;medium of claim 94, wherein the fragmenting step further comprises fragmenting ,a compound component into two or more components. As per claim 58

**Claim 100**

The computer readable medium of claim 94, wherein the fragmenting step further comprises fragmenting a compound component into a component and a compound component. As per claim 57

**Claim 101**

The computer readable medium of claim 94, wherein the fragmenting step further comprises fragmenting a compound component into a first compound component and a second compound component. As per claim 57.

**Claim 102**

The computer readable medium of claim 94, further comprising editing documentation associated with the information model through a documentation text editor. A plurality of documentation files can be interpreted as both documentation such as RAT-UR, Chapter 13 and the generated files RAT-C++, Chapter 2

Art Unit: 2193

**Claim 103**

The computer readable medium of claim 94, further comprising uploading new or modified documentation files through a file interface. (RAT-C++, Chapter 3, Reverse Engineering, pages 180 – 181).

**Claim 104**

The computer readable medium of claim 94, further comprising compiling documentation associated with the information model into an information model document. (RAT-UR, Chapter 13, page 199 “NOTE:”)

**Claim 105**

The computer readable medium of claim 94, further comprising: creating a new component in the information model; and organizing the new component within the hierarchical structure of the information model. RAT-C++, page 113.

**Claim 106**

The computer readable medium of claim 94, further comprising searching the information model in response to a query and providing search results. (RAT-UR, page 19, Browse different models).

Art Unit: 2193

**Claim 107**

The computer readable medium of claim 94, further comprising: comparing a first information model to a second information model; and generating a difference set containing the differences between the first information model and the second information model identified by the comparison. RAT-C++, Chapter 4, Model Differencing.

**Claim 108**

Rational Rose version 4.0 teaches a system executing on a computer and stored on a computer readable medium for manipulating an information model having a plurality of components arranged in a hierarchical structure representing a software architecture, comprising: an information model viewer having a data dependency viewer capable of presenting the data dependencies between components of the information model and a functional dependency viewer capable of presenting the functional dependencies between components of the information model, wherein the information model includes a plurality of language independent format objects generated from a plurality of analyzed language dependent format objects, each language independent format object representing a discrete component, wherein the components are structurally related into an information model according to the software architecture; a system architect having an architect designer capable of reorganizing the hierarchical component structure of the information model; an information model editor having a text interface capable of allowing editing of documentation associated with the information model and a file interface capable of receiving new or modified documentation files associated with the information model; and an information model builder having a text interface capable of allowing editing of source

Art Unit: 2193

code files included with the body of source code and a file interface capable of receiving new or modified source code files for inclusion with the body of source code.

### **Examiner's Response**

Rational Rose version 4.0 supports reverse engineering (RAT-C++, Chapter 3) where a body of source code (RAT-C++, pages 181 – 183 and 227) is used as input and parsed with a parser (RAT-C++, parsing, page 184 – parsing inherently creates ASTs) and the model is exported (RAT-C++, pages 185 – 186). The code is converted into a model (Composer) (RAT-C++, page 185, second paragraph – generated model file and component package (informational model – independent format with discrete component)). A software architecture, comprising: an information model viewer having a data dependency viewer capable of presenting the data dependencies between components of the information model (RAT-UR, page 98, collaboration diagram ) and a functional dependency viewer capable of presenting the functional dependencies between components of the information model (RAT-UR, page 15 component diagram) ; a system architect having an architect designer capable of reorganizing the hierarchical component structure of the information model (RAT-UR, page 14, class diagram); an information model editor having a text interface capable of allowing editing of documentation associated with the information model (RAT-C++, pages 189 to 193) and a file interface capable of receiving new or modified documentation files associated with the information model (RAT-C++, pages 194 – 196); and an information model builder having a text interface capable of allowing editing of source code files included with the body of source code (RAT-C++, pages 194 – 196); and a file interface capable of receiving new or modified source code files for inclusion with the body of source code (RAT-C++, pages 194 – 196). Also note Documentation Report RAT-UR, Chapter

13). What Rational Rose does not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

**Claim 109**

The system of claim 108, further comprising: an information model viewer having a calling tree viewer capable of presenting the control flow between components of the information model and within a single component of the information model, and a language specific viewer capable of presenting the information model according to one or more programming language paradigms; a system architect having an architect enhancer capable of adding new components to the information model, an architect creator capable of creating new components and relating the newly created components into a new information model having no underlying body of source code, an architect optimizer capable of extracting functionally related components of an information model and creating a new information model having a reduced set of components serving a desired function; an information model search engine capable of accepting a query,

Art Unit: 2193

searching the information model, and prodding search results; an information model document generator capable of compiling a plurality of documentation objects into an information model document; and an information model difference generator capable of comparing at least two information models, and determining differences between the at least two information models.

The limitations of claim 109 are covered in the claims above.

### ***Claim Rejections - 35 USC § 103***

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rational Rose version 4.0 XML Makes Object Models More Useful, Bruce Klein Information Week, June 28, 1999 in view of Scandura as applied above.

#### **Claim 2**

The information model of claim 1, wherein a language independent format object comprises: one or more XML files conforming to a document type definition describing a particular component; and one or more documentation objects containing information pertaining to the particular component.

Art Unit: 2193

Examiner's Response

Rational teaches the object model being language independent as per claim but Rational Rose from 1996 does not teach the use of XML. It is XML who teaches the use of XML with object models. What Rational Rose and XML do not explicitly teach is the underlying use of an intermediate format objects generated from a plurality of analyzed language dependent format objects. It is Scandura who teaches the ability to use reverse engineering to create ASTs from a executable program (Scandura, col. 4 ,lines 22-50 ) and then generate a program in a selected programming language (Scandura, Figure 8, "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code ,Abstract).. It would have been obvious to one of ordinary skill in the art at the time of invention to combine Rational Rose and XML with the teaching of Scandura because the ability to reverse engineer software and generate code in another programming language provides for "... source code in any of a plurality of languages and for analyzing, manipulating and/or converting such code. (Scandura, Abstract).

***Response to Arguments***

10. Applicant's arguments are directed toward the claims amended with new limitations and have been considered but are moot in view of the new ground(s) of rejection for those claims with new limitations. The specific limitation to the intermediate steps such as "intermediate model" required a more explicit teaching. The Scandura reference provides an explicit teaching of detail steps. The Scandura reference teaches the ability to reverse engineer existing software products by reverse engineering them based on the model represented in the code (similar to

Rational Rose). The results being an intermediate model in the form of Abstract Syntax Trees ("ASTs") which enable to reuse of the code in an other programming language.

### ***Conclusion***

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

### ***Correspondence Information***

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Todd Ingberg whose telephone number is (571) 272-3723. The examiner can normally be reached on during the work week..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki can be reached on (571) 272-3719. The fax phone number for the organization where this application or proceeding is assigned is 571 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Todd Ingberg', with a long horizontal stroke extending to the right.

Todd Ingberg  
Primary Examiner  
Art Unit 2193

TI